

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	LegHd	Aerial	L/FSnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
ALBATROSS, LAYSAN																								
	HI											156								156			156	
	Total for ALBATROSS, LAYSAN											156								156			156	
ALLIGATORS, AMERICAN																								
	CA											1								1			1	
	LA							1														1	1	
	MS																					1	1	
	Total for ALLIGATORS, AMERICAN											1								1		2	3	
ARMADILLOS, NINE-BANDED																								
	OK		1																			1	1	
	Total for ARMADILLOS, NINE-BANDED		1																			1	1	
BADGERS																								
	AZ				2																	2	2	
	CA							2														2	2	
	ID				24															7	2	15	24	
	MI				1																	1	1	
	MN				2																	2	2	
	MT				1			1													1	1	2	
	ND				30			1												29	1	1	31	
	NM		1		17			4												1	4	17	22	
	NV				11							3								5		9	14	
	OK				1																	1	1	
	OR				3																1	2	3	
	TX				2			11														13	13	
	UT				7			3				1								1		10	11	
	WI		2		1							1								4			4	
	WY				10							3									3	1	9	13
	Total for BADGERS		3		112			22				8								50	10	85	145	

Code= Cage Traps; K= Kill; B= Baby Grip Traps; Leghid= Leghold or Foothold Traps; Aerial= Use of Fixed-wing Aircraft or Helicopters; L/S= Leg or Foot Snare; N= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; DR= Removal of Animals from Dens; NChem= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44= Suction Cyanide Delivery Device; 1339= DR-1339 Advice; ZincP= Zinc Phosphide Rodenticide; Avitral= Avitral Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; Chem= Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Tact; UT= Unintentional Tact; NT= Non-tar-get Tact.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Page 7 of 10

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cap: Capr; Tails: Kili - Bobby Grip Tails; Leghld - Leghold or Foothold Tails; Aerial - Use of Fixed-wing Aircraft or Helicopters; L/Snr - Leg or Foot Snare; Nsmr - Neck Snare; Spot-Spotlight; Call - Electronic or Manual Calling Device; Dn - Removal of Animals from Dens; NChemo - Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44 - Suction Cyanide Delivery Device; 1339 - DRC - 1339 Avicide; Zincph - Zinc Phosphide Rodenticide; Avitral - Avitral Harassment Chemical; 1080 - Livestock Protection Collar; A/C - Alpha Chloralose; Chemo - Chemical Methods not covered by specific chemical methods listed on the table; IT - Intentional Tact; UT - Unintentional Tact; NtArget - Non-target Tact.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	LegHd	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
	AZ			1																		1	1	
	CA	1		4		5	3					1								2	11	1	14	
	ID			2																	2		2	
	MN			3		2														1		4	5	
	MO						1													1			1	
	MS						1													1			1	
	NM			4																		1	4	
	NV	1		10			1													4	6	2	12	
	OK			1																		1		1
	OR	1		23									1							10	4	11	25	
	UT			5																	5			5
	WA			1																	1			1
	WY			7																	1	3	3	7
	Total for BOBCATS			3	61		7	6					2								19	32	25	79
CARDINALS, NORTHERN																								
	HI		6																	6			6	
	TX		4																			4	4	
Total for CARDINALS, NORTHERN			10																	6			10	
CARDINALS, RED CRESTED																								
	HI		307																	307			307	
	Total for CARDINALS, RED CRESTED			307																307			307	
CATBIRDS, GRAY																								
	NJ		1																			1	1	
	Total for CATBIRDS, GRAY			1																		1	1	
CATS, FERAL/FREE RANGING																								
	AZ		2																			2	2	
	CA	123		12		1						7								102	34	7	143	

Capacitance, Call: Electric or Manual Calling Device; CDR: Removal of Animals from Dens; NChem0: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1333-DCR-1339 Avicide; ZincPh: Zinc Phosphide Rodenticide; Avitral-Avitral Harassment Chemical; 1080: Livestock Protection Collar; A/C: Alpha Chloralose; Chem0: Chemical Methods not covered by specific chemical methods listed on the table; IT: Intentional Tact; UT: Unintentional Tact; NT: Non-tar-get Tact.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																							
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
CATS, FERAL/FREE RANGING																							
	FL	4																			4		4
	GU	8																		6	1	1	8
	HI	32										2								32		2	34
	ID	8		4																2	2	8	12
	IL	1																		1			1
	MA	2																				2	2
	MO	5																		5			5
	MT			1																		1	1
	ND			1																		1	1
	NE	13		4																	3	14	17
	NJ	7																		7			7
	NM	28																		26	2		28
	NV	7		1																5	2	1	8
	OH	5																				5	5
	OK	2		3																		5	5
	OR	13		2				6												17	4		21
	PA	2																				2	2
	PR	7																		7			7
	TN	33																		26	7		33
	TX	9		2																7	2	2	11
	VA	7		1																7		1	8
	VT	8																			3	5	8
	WA	14																		12		2	14
	WY	53						1												8	46		54
	Total for CATS, FERAL/FREE RANGING	393		31			1	7					9							270	106	65	441
COOTS, AMERICAN																							
	AZ																			405		405	405

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 5 of 21

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
DEER, z(OTHER)	MN			1								1										2	2	
	MT						1															1	1	
	OK		1																			2	2	
	TX		3		9		12															24	24	
	Total for DEER, WHITE-TAILED		4		10		14				1											29	29	
	CA						2															1	1	
	OR						1															1	1	
	TX		2				1													2		1	3	
	Total for DEER, z(OTHER)		2				4														2	1	3	6
	DOGS, FERAL/FREE RANGING & HYBRIDS																							
	AZ		2		17							5									20	1	3	24
	CA		12		5		17	11				21									42	18	6	66
	FL						1					3										4		4
	GU		5																			5		5
	HI		3									4										7		7
	ID				9			3														5	7	12
	LA				4																	4		4
	MN				7																	7		7
	MS			1	1			4														5	1	6
	MT							1				2									2		1	3
	ND							4														4		4
	NE				1																	1		1
	NJ		1																		1			1
	NM				2			2															4	4
	NV		2		7			4													3	4	6	13
	OK				21			7															28	28
	OR		7		7			12				1									16	3	8	27

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 7 of 21

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
COOTS, AMERICAN																								
	NV																		8				8	
Total for COOTS, AMERICAN																			413				413	
COWBIRDS, BROWN-HEADED																								
	NV		509								22											531	531	
	TX		9																			9	9	
	WA		784																			784	784	
Total for COWBIRDS, BROWN-HEADED			1,302								22											1,324	1,324	
COYOTES																								
	AZ			1			1														1	1	2	
	CA			23			1														22	1	24	
	MI			3																		3	3	
	MN										1										1		1	
	ND			1																		1	1	
	WI		1																			1	1	
	WY			10																		10	10	
Total for COYOTES			1	38			2				1										24	6	12	42
CROWS, AMERICAN																								
	WA		5																			5	5	
Total for CROWS, AMERICAN			5																			5	5	
DEER, MULE																								
	CA						1	5														2	4	6
	ID			1																		1	1	
	NM			2																		2	2	
	TX							5														5	5	
	WY							1														1	1	
Total for DEER, MULE				3			1	11														2	13	15

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage- Cage Traps; Kibb- Kibby Grip Traps; Legd- Leghold or Foothold Traps; Aerial- Use of Fixed-wing Aircraft or Helicopters; LFSnr- Leg or Foot Snare; NSnr- Neck Snare; Spot- Spotlight; Call- Electronic or Manual Calling Device; Den-Removal of Animals from Dens; NChemO- Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avicide; Zinchp- Zinc Phosphide Rodenticide; Airtrol-Avial Harassment Chemical; 1080- Livestock Protection Collar; A/C- Alachlorate; Chemo- Chemical Methods not covered by specific chemical methods listed on the table; IT- Unintentional Take; UT- Unintentional Take; NTarget- Non-target Take.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage: Cage Traps; Kill-B: Kill-Bury Grip Traps; Legg: Leghold or Foothold Traps; Aerial: Use of Fixed-wing Aircraft or Helicopters; LFSn: Leg or Foot Snare; NSn: Neck Snare; Spot-Sightlight: Catch: Electronic or Manual Calling Device; Den-Removal of Animals from Dens; ChNcmO: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avidity; Zncph: Zinc Phosphide Rodenticide; Avtrial-Avital Harassment Chemical; 1080-1080 Poisoning Protection Collar; A/C: Aerial Chloralose; ChNcmO: Chemical Methods not covered by specific chemical methods listed on the table; IT: Intentional; UT: Unintentional; NTarget: Non-target table.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage: Cage Traps; Kibb: Kibb Grip Traps; Legd: Leghold or Foothold Traps; Aerial: Use of Fixed-wing Aircraft or Helicopters; L/Sntr: Leg or Foot Snare; Nsntr: Neck Snare; Spot-Sightlight: Call: Electronic or Manual Calling Device; Den-Removal of Animals from Den; NChemO: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avicide; Zinchp: Zinc Phosphide Rodenticide; Avitrol-Avital Harassment Chemical; 1080-Livestock Protection Collar; A/C=Alcal: Chloralate; Chemo=Chemical Methods not covered by specific chemical methods listed on the table; IT=Intentional Take; UT=Unintentional Take; NTarget=Non-target Take.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

Species	State	Cage	Kill	LegHd	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Dn	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemQ	IT	UT	NTarget	Total
FOXES, RED																							
		Total for FOXES, RED	3		41		1	24				4								32	5	36	73
FRANCOLIN, BLACK																							
	HI		30																10		20		30
		Total for FRANCOLIN, BLACK	30																10		20		30
FRANCOLIN, ERCKEL'S																							
	HI		39																			39	39
		Total for FRANCOLIN, ERCKEL'S	39																			39	39
FRANCOLIN, GRAY																							
	HI		84																55		29		84
		Total for FRANCOLIN, GRAY	84																55		29		84
FROGS/TOADS (ALL)																							
	NM		1																	1			1
	OK		1																		1		1
		Total for FROGS/TOADS (ALL)	2																		1	1	2
GEESE, ALEUTIAN CANADA (T&E)																							
	AK			1																		1	1
		Total for GEESE, ALEUTIAN CANADA (T&E)		1																		1	1
GEESE, CANADA																							
	AK	53																		53			53
	GA	693																37		730			730
	IA																	6		6			6
	KY	303										4						277		584			584
	LA											29								29			29
	MI	36																		36			36
	MO																			2			2
	MT											174								174			174

Cage: Cage Traps; Kill-B: Kill-Bury Grip Traps; Legg: Leghold or Foothold Traps; Aerial: Use of Fixed-wing Aircraft or Helicopters; LFSn: Leg or Foot Snare; NSn: Neck Snare; Spot-Sightlight: Catch: Electronic or Manual Calling Device; Den-Removal of Animals from Dens; ChNcmO: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avidity; Zncph: Zinc Phosphide Rodenticide; Avtrial-Avital Harassment Chemical; 1080-1080 Poison Protection Collar; A/C: Aerial Chloralose; ChcmO: Chemical Methods not covered by specific chemical methods listed on the table; IT: Intentional; UT: Unintentional; NTarget: Non-target Take.

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
GEESE, CANADA																								
	NV	653									8						17		678				678	
	OK										14								14				14	
	OR																		129				129	
	TN	2,590									31						179		2,800				2,800	
	TX										4						10		14				14	
	UT										11						12		23				23	
	WI	311	1																311		1		312	
	WV	196																	196				196	
	Total for GEESE, CANADA		4,835	1								277						667		5,779		1		5,780
GEESE, FERAL																								
	AZ																		43		43		43	
	KY																		22		22		22	
	PA										5								21		26		26	
	TN	69									24								4		97		97	
	TX																		33		33		33	
	VA	3																			3	3		
	Total for GEESE, FERAL		72								29							123		221		3		224
GEESE, HAWAIIAN (T&E)																								
HI											10										10		10	
Total for GEESE, HAWAIIAN (T&E)											10										10		10	
GEESE, z-(OTHER)																								
HI											2										2		2	
KY	9																		9		9		9	
TX			1																		1		1	
UT																			1		1		1	
Total for GEESE, z-(OTHER)		9		1							2							1	12		1		13	
GOATS, FERAL																								
Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Denr; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take																								
Page 12 of 33																								

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 13 of 21

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
GRACKLES, COMMON	OK						2															2	2	
		Total for GRACKLES, COMMON					2																2	2
	TX	3																				3	3	
GREBES (ALL)		Total for GRACKLES, COMMON	3																			3	3	
GROUSE (ALL)	AK											1								1			1	
	MO											1								1			1	
		Total for GREBES (ALL)										2								2			2	
GULLS, HERRING	AK						1															1	1	
	VT	1																				1	1	
		Total for GROUSE (ALL)	1				1															2	2	
GULLS, WESTERN	AK											5								5			5	
		Total for GULLS, HERRING										5								5			5	
	CA											2									2		2	
GULLS, z(OTHER)		Total for GULLS, WESTERN										2									2		2	
	AK											16									16		16	
		Total for GULLS, z(OTHER)										16									16		16	
HARES, JACKRABBITS (ALL)																								
	AZ																				1		1	
	CA	7																			7	8	15	
	ND																					1	1	
	NM																					4	4	

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 14 of 21

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
HARES, JACKRABBITS (ALL)																								
	TX					4														1	1	6	8	
	UT						2															2	2	
Total for HARES, JACKRABBITS (ALL)			8		13		10													2	8	21	31	
HARES, SNOWSHOE																								
	VT		1																			1	1	
	Total for HARES, SNOWSHOE		1																			1	1	
HAWKS, COOPER'S																								
	CA											3								3			3	
	WA		6																			6	6	
Total for HAWKS, COOPER'S			6									3								3		6	9	
HAWKS, HARRIERS (MARSH HAWKS)																								
	CA											1									1		1	
	WA		2																			2	2	
Total for HAWKS, HARRIERS (MARSH HAWKS)			2									1									1	2	3	
HAWKS, RED-SHOULDERED																								
	CA											2									2		2	
	Total for HAWKS, RED-SHOULDERED											2									2		2	
HAWKS, RED-TAILED																								
	AZ				1																	1	1	
	CA											18										18	18	
	IL											138										138	138	
	KY											5										5	5	
	MN											6										6	6	
	MO				13							5										18	18	
	NE											47										47	47	
	TN											8									8		8	

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 108

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage: Cage Traps; Kibb: Kibb Grip Traps; Legd: Leghold or Foothold Traps; Aerial: Use of Fixed-wing Aircraft or Helicopters; L/Sntr: Leg or Foot Snare; Nsntr: Neck Snare; Spot-Sightlight: Call: Electronic or Manual Calling Device; Den-Removal of Animals from Den; NChemO: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avicide; Zinchp: Zinc Phosphide Rodenticide; Intra-Vital Harassment Chemical; 1080: Livestock Protection Collar; A/C=Alcal: Chloralate; Chemo=Chemical Methods not covered by specific chemical methods listed on the table; IT=Intentional Tact; UT=Unintentional Tact; NTarget=Non-Target Capture.

Page 17 of 31

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage- Gate Cattle; Kill= Boly Grip Cattle; Leg= Leghold or Foothold Traps; Aerial= Use of Fixed-wing Aircraft or Helicopters; L/Sn= Leg or Foot Snare; Nsn= Neck Snare; Spot= Spotlights; Call= Electronic or Manual Calling Device; Den= Removal of Animals from Dens; NChem= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44= Sodium Cyanide Delivery Device; 1339= DRC-1339 Avicide; Zinc= Zinc Phosphide Rodenticide; Avital= Avital Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; Chem= Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Tact; UT= Unintentional Tact; NTarget= Non-target Tact.

Page 18 of 31

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage: Cage Traps; Kibb: Kibb Grip Traps; Legd: Leghold or Foothold Traps; Aerial: Use of Fixed-wing Aircraft or Helicopters; L/Sntr: Leg or Foot Snare; Nsntr: Neck Snare; Spot-Sightlight: Call: Electronic or Manual Calling Device; Den-Removal of Animals from Den; NChemO: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avicide; Zinchp: Zinc Phosphide Rodenticide; Avitrol-Avital Harassment Chemical; 1080-Livestock Protection Collar; A/C=Alcal: Chloralate; Chemo=Chemical Methods not covered by specific chemical methods listed on the table; IT=Intentional Take; UT=Unintentional Take; NTarget=Non-target Take.

Page 19 of 31

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000

[illegible]

Cage: Cage Calls; Kill: Boly Grip Calls; Leg: Lehigh or Foothold Tags; Aerial: Use of Fixed-wing Aircraft or Helicopters; L/Snare: Leg or Foot Snare; Nsnr: Neck Snare; Spot-Spelllight; Call: Electronic or Manual Calling Device; Bsnr: Removal of Animals from Dens; NChem: Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44-Sodium Cyanide Delivery Device; 1339-DRC-1339 Avicide; Zincph: Zinc Phosphide Rodenticide; Avital: Avital Harassment Chemical; 1080: Livestock Protection Collar; A/C: Alpha Chloralose; Chem: Chemical Methods not covered by specific chemical methods listed on the table; IT: Intentional Tag; UT: Unintentional Tag; NTarget: Non-target Tag.

Page 20 of 31

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
OTTERS, RIVER																								
	SC		1																			1	1	
	TN		1																			1	1	
	WI		3	1																		4	4	
Total for OTTERS, RIVER			17	4			3														9	15	24	
OWLS, BARRED																								
	MO			1																	1		1	
Total for OWLS, BARRED				1																	1		1	
OWLS, BURROWING																								
	AZ	1																			1		1	
Total for OWLS, BURROWING	CA									1											1		1	
		1								1											2		2	
OWLS, COMMON BARN																								
	CA									33											33		33	
	HI									11											11		11	
										44											44		44	
Total for OWLS, COMMON BARN																								
OWLS, GREAT HORNED																								
	CA									10											10		10	
	KY									2											2		2	
	MO			3						6											9		9	
	OK						1															1	1	
	VA	1																				1	1	
	WA	1																				1	1	
	Total for OWLS, GREAT HORNED		2		3			1						18							21	3	24	
OWLS, z(OTHER)																								
	CA	1																				1	1	
	HI									7											7		7	
Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take																								

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 22 of 21

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
PRONGHORN (ANTELOPE)																								
	NM			1																		1	1	
	WY			2			2															4	4	
Total for PRONGHORN (ANTELOPE)				4			2															6	6	
QUAIL (ALL)																								
	AK											1										1	1	
	NV		3																		3		3	
	WA		1																		1		1	
Total for QUAIL (ALL)			4								1										4	1	5	
RABBITS, COTTONTAIL																								
	CA		128		4																1	88	43	132
	FL			1																			1	1
	OK		5																			5	5	
	TX											3									3		3	
	VA			1																		1	1	
	WA		3																			3	3	
	Total for RABBITS, COTTONTAIL		136		6							3									4	88	53	145
RABBITS, SWAMP																								
	FL			1																		1	1	
Total for RABBITS, SWAMP				1																		1	1	
RACCOONS																								
	CA		40		9		2	6				1									8	35	15	58
	CO		4									1									1	4	5	
	FL		5																		5		5	
	GA						2															2	2	
	IA		13																		13		13	
	ID		3									1									4		4	

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 22 of 21

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																							
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
OWLS, z(OTHER)	MO				8																8		8
	Total for OWLS, z(OTHER)		1		8								7								15	1	16
PECCARIES, COLLARED (JAVELINA)	NM				2																	2	2
	TX		2		6			32														40	40
Total for PECCARIES, COLLARED (JAVELINA)			2		8			32														42	42
PHEASANT, RING-NECKED	HI		38																	4		34	38
	Total for PHEASANT, RING-NECKED		38																	4		34	38
PIGEONS, FERAL (ROCK DOVE)	AZ															46					46		46
	CA		14									9								9	14		23
	NY		7																	7		7	7
	SC											47								47		47	47
Total for PIGEONS, FERAL (ROCK DOVE)			21								56					46				109	14		123
PORCUPINES	AK											20								20			20
	ID				2						1									1		2	3
	MT						8														7	1	8
	NM				5		6															11	11
	NY		1																			1	1
	TX				8		1															9	9
	UT		2									2								4		4	4
Total for PORCUPINES		3		15		15					23									25	7	24	56
PRONGHORN (ANTELOPE)	ID				1																	1	1
Cage=Cage Traps; Kill= Boly Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snares; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitral-Avitral Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take																							
Page 22 of 31																							

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
RATS, KANGAROO (ALL)																							
	CA		1																			1	1
Total for RATS, KANGAROO (ALL)			1																			1	1
RATS, NORWAY																							
	FL		19																			19	19
	VT		1																			1	1
Total for RATS, NORWAY			20																			20	20
RATS, PACKRATS/WOODRATS (ALL)																							
	UT		2																	2		2	2
Total for RATS, PACKRATS/WOODRATS (ALL)			2																	2		2	2
RAVENS, COMMON																							
	AK			1																		1	1
	NV												5							5		5	5
Total for RAVENS, COMMON				1									5							5		1	6
RINGTAILS																							
	CA		1																			1	1
	TX		2		2															2		2	4
Total for RINGTAILS			3		2															3		2	5
SHEARWATERS (ALL)																							
	HI												2							2		2	2
Total for SHEARWATERS (ALL)													2							2		2	2
SHEEP, FERAL/FREE-RANGING/EXOTIC																							
	HI																			11		11	11
Total for SHEEP, FERAL/FREE-RANGING/EXOTIC																				11		11	11
SHREWS (ALL)																							
	VT		2																	2		2	2

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 25 of 31

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SKUNKS, STRIPED																							
	WI		1																			1	1
Total for SKUNKS, STRIPED			1																			1	1
SNAKES, NON-POISONOUS (OTHER)																							
	CA												1							1		1	1
	NE												1							1		1	1
	TX												7							7		7	7
	WY												3							3		3	3
Total for SNAKES, NON-POISONOUS (OTHER)													12							12		12	12
SNAKES, POISONOUS (ALL)																							
	AZ												4							4		4	4
	CA												2							2		2	2
	GA												1							1		1	1
	TX												1							1		1	1
Total for SNAKES, POISONOUS (ALL)													8							8		8	8
SPARROWS, EURASIAN TREE																							
	GU												19							19		19	19
Total for SPARROWS, EURASIAN TREE													19							19		19	19
SPARROWS, HOUSE/ENGLISH																							
	CA		2																			2	2
	IL												1							1		1	1
	NH												51							67		67	67
	NY												20							20		20	20
	TX												24							24		24	24
	WA												4							4		4	4
Total for SPARROWS, HOUSE/ENGLISH			66										52							88		30	118
SQUIRRELS, FOX																							

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 27 of 31

Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SHREWS (ALL)																							
Total for SHREWS (ALL)			2																		2		2
SHRIKES (ALL)																							
	CA											9								9		9	9
	IL											1								1		1	1
	TX		10																			10	10
Total for SHRIKES (ALL)			10									10								10		10	20
SKUNKS, HOG-NOSED																							
	TX		2																	1		1	2
Total for SKUNKS, HOG-NOSED			2																	1		1	2
SKUNKS, STRIPED																							
	CA		3																	3		3	3
	FL		2																		1	2	2
	ID		1																	1		1	1
	KS		2									11								13		13	13
	MA		2																			2	2
	MO		1																	1		1	1
	ND				5																5	5	5
	NJ		2																	2		2	2
	NM		8																	8		8	8
	NY		25																			25	25
	OH		3																			3	3
	OK		1																			1	1
	OR		3																	1	2	3	3
	TX		2					1												2	1	3	3
	UT		3		1															4		4	4
	VT		20																	15	5	20	20
	WA				1																	1	1

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DR-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 28 of 31

Species	State	Cage	Kill	LegHld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
SQUIRRELS, FOX	ID	2																				2	2
	NE											1								1			1
	OH	2																			2	2	
	OR	12																		10	2	12	
	TX	13																				13	
	Total for SQUIRRELS, FOX	29										1								24		6	30
SQUIRRELS, GRAY	CA	5																		3	2		5
	MA	1																				1	1
	WY	5																		5			5
	Total for SQUIRRELS, GRAY	11																		8	2	1	11
SQUIRRELS, GROUND (ALL)	CA	31		7																1	25	12	38
	UT	11																				11	11
	Total for SQUIRRELS, GROUND (ALL)	42		7																12	25	12	49
SQUIRRELS, RED	AK	5																		5			5
	UT	4																		4			4
	VT	1																				1	1
	Total for SQUIRRELS, RED	10																		9		1	10
SQUIRRELS, z(OTHER)	CO	1										7								8			8
	Total for SQUIRRELS, z(OTHER)	1										7								8			8
STARLINGS, EUROPEAN	NH											1								1			1
	NY	5																		5			5

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																							
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
STARLINGS, EUROPEAN																							
	TX		26																			26	26
Total for STARLINGS, EUROPEAN			31									1								6		26	32
STORKS, WOOD (NON T&E)																							
	LA			1																		1	1
Total for STORKS, WOOD (NON T&E)				1																		1	1
SWALLOWS, z-(MIXED)																							
	AK										1								1				1
Total for SWALLOWS, z-(MIXED)											1								1				1
SWIFTS (ALL)																							
	LA										4								4				4
Total for SWIFTS (ALL)											4								4				4
TERNs (OTHER)																							
	MS						1															1	1
Total for TERNS (OTHER)							1															1	1
TURKEY, WILD (ALL)																							
	TX			1																		1	1
Total for TURKEY, WILD (ALL)				1																		1	1
TURTLES (ALL)																							
	AL		24																			24	24
	FL		1																			1	1
	GA		2				5															7	7
	MN		2																		2	2	
	MO										4								4				4
	MS		120	2							71									71	96	26	193
	NC		66	1																		67	67
	NE		3																		3		3

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 29 of 31

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																								
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total	
TURTLES (ALL)																								
	NM			4																		4	4	
	OH		1																			1	1	
	OK			88																		88	88	
	SC			55				2														57	57	
	TN			6				1														7	7	
	TX			5																		5	5	
	VA			7								1								1		7	8	
	WI			35				1														36	36	
Total for TURTLES (ALL)		1	418	3				9				76								76	96	335	507	
VOLES (ALL)																								
	MO		2																		2		2	
Total for VOLES (ALL)			2																		2		2	
VULTURES, BLACK																								
	TX							1														1	1	
Total for VULTURES, BLACK								1														1	1	
VULTURES, TURKEY																								
	CA			1																		1	1	
	NM			1																		1	1	
	TX		1																			1	1	
	WA			1																		1	1	
Total for VULTURES, TURKEY		1		3																		4	4	
WOLVES, GRAY/TIMBER																								
	ID			5															9	14			14	
	MI			5																5			5	
	MN			6								1								7			7	
	MT			2																2			2	

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 30 of 31

Table 10f. Number of Animals Freed and Control Methods Used by the WS Program, FY2000																							
Species	State	Cage	Kill	Leghld	Aerial	L/Fsnr	Nsnr	Spot	Call	Shot	Den	NChemO	M44	1339	Zincph	Avitr	1080	A/C	ChemO	IT	UT	NTarget	Total
WOLVES, GRAY/TIMBER																							
	WI			2																	2		2
	WY			2																	2		2
Total for WOLVES, GRAY/TIMBER				22							1									9	32		32
WOLVES, MEXICAN GRAY																							
	AZ			2																	2		2
Total for WOLVES, MEXICAN GRAY				2																	2		2
z-PASSERINES (OTHER)																							
	NV		109																		109		109
	TX		5																			5	5
	WA		3																			3	3
Total for z-PASSERINES (OTHER)			117																		109	8	117
TOTAL:		12,064	452	715			69	300		1		22,363						2,268	17	34,752	1,071	2,426	38,249

Cage=Cage Traps; Kill= Baby Grip Traps; Leghld= Leghold or Foothold Traps; Aerial=Use of Fixed-wing Aircraft or Helicopters; L/Fsnr= Leg or Foot Snare; Nsnr= Neck Snare; Spot= Spotlight; Call= Electronic or Manual Calling Device; Den=Removal of Animals from Dens; NChemO= Non-Chemical Methods not covered by specific non-chemical methods listed on the table; M44=Sodium Cyanide Delivery Device; 1339=DRC-1339 Avicide; Zincph= Zinc Phosphide Rodenticide; Avitr=Avitrol Harassment Chemical; 1080= Livestock Protection Collar; A/C= Alpha Chloralose; ChemO=Chemical Methods not covered by specific chemical methods listed on the table; IT= Intentional Take; UT= Unintentional Take; NTarget=Non-target Take

Page 31 of 31